

INDEX TO VOLUME XLI

AUTHORS

	<i>Page</i>
Alfonso-Hernandez, Norma E. (see D. F. Houston)	427
Antić, M. (see M. Lj. Mihailović)	351
Axford, D. W. E. (see S. J. Axford)	216
Babcock, G. E. (see W. C. Schaefer)	406
(see W. J. Wolf)	328
Bautista, Gloria M., J. C. Lugay, Lourdes J. Cruz, and B. O. Juliano. Glutamic acid decarboxylase activity as a viability index of artificially dried and stored rice	188
Bechtel, W. G. (see C. P. Czerniejewski)	65
Bhardwaj, I. S. (see C. C. Lee)	87
Blessin, C. W., J. D. Brecher, and R. J. Dimler. Carotenoids of corn and sorghum. VI. Determination of xanthophylls and carotenes in corn gluten fractions	543
Bloch, F. Note on modified staining method for estimating the germinative capacity of wheat and barley	399
Booth, A. N. (see A. K. Smith)	173
Bradley, W. B. (see C. P. Czerniejewski)	65
Brecher, J. D. (see C. W. Blessin)	543
Brekke, O. L., and L. A. Weinecke. Corn dry-milling: a comparative evaluation of commercial degerminator samples	321
Burr, R. C. (see W. C. Schaefer)	406
Cagampang, Gloria B. (see B. O. Juliano)	275
Carter, H. E. (see Evelyn J. Weber)	140
Cerning, Jutta (see J. G. Ponte, Jr.)	431
Chen, Lora L. (see C. E. McDonald)	443
Circle, S. J., E. W. Meyer, and R. W. Whitney. Rheology of soy protein dispersions. Effect of heat and other factors on gelation	157
Cluskey, J. E. Note on a simplified gel electrophoresis apparatus used in wheat gluten protein research	551
Cornford, S. J., D. W. E. Axford, and G. A. H. Elton. Elastic modulus of bread crumb in linear compression in relation to staling	216
Cotton, R. H. (see J. G. Ponte, Jr.)	203
Cruz, Lourdes J. (see Gloria M. Bautista)	188
(see B. D. Juliano)	275
Czerniejewski, C. P., C. W. Shank, W. G. Bechtel, and W. B. Bradley. Minerals of wheat, flour, and bread	65
Daussant, J. (see P. Grabar)	523
De Figueiredo, M. (see Emily L. Wick)	300
Desikachar, H. S. R. (see P. P. Kurien)	16
(see S. N. Raghavendra Rao)	316
Dickson, A. D. (see N. Prentice)	548
Dimler, R. J. (see C. W. Blessin)	543
(see H. L. Seckinger)	80
Donelson, D. H. (see J. T. Wilson)	260
Elton, G. A. H. (see S. J. Axford)	216
Farrand, E. A. Flour properties in relation to the modern bread processes in the United Kingdom, with special reference to alpha-amylase and starch damage	98
Ferrel, R. E., and J. W. Pence. Use of the amylograph to determine extent of cooking in steamed rice	1
Finney, K. F. (see G. Rubenthaler)	424
French, R. C., and C. H. Kingsolver. Effect of excessive heat during artificial drying of corn on reducing sugar content and diastatic activity	47
Gilles, K. A., E. F. Kaelble, and V. L. Youngs. X-ray spectrographic analysis of chlorine in bleached flour and its fractions	412
(see V. L. Youngs. Evaluation of durum wheat and durum products. II. Separation and identification of the sitosterol esters of semolina)	502

- ____ (see W. C. Shuey) 32
Grabar, P., and J. Daussant. Study of barley and malt amylases by immunochemical methods 523
Hadžijev, D. (see M. Lj. Mihailović) 351
Hart, J. R. Hysteresis effects in mixtures of wheats taken from the same sample but having different moisture contents 340
Henzler, F. T. (see W. G. Hunt) 375
Hesseltine, C. W. (see A. K. Smith) 173
Hlynka, I. Some experiments on the development of a continuous system in heavy batters or thin doughs 243
____ (see P. Meredith) 286
Holaday, C. E. Electronic method for the measurement of heat damage in artificially dried corn 386
Holzapfel, Margaret M. (see J. C. Rankin) 533
Houston, D. F., A. Mohammad, and Norma E. Alfonso Hernandez. Communication to the Editor: High-sulfur seed proteins 427
____ T. Wasserman, and E. B. Kester. High-protein rice flours 514
Hunt, W. G., F. T. Henzler, and E. A. Sowell. Physicochemical studies of the acid hydrolysis of corn starch 375
Ingle, T. R., and R. L. Whistler. Action of chlorine on semidry starch 474
Jenkins, B. C. (see A. M. Unrau) 365
Joffe, A., and J. G. C. Small. Studies on fat acidity of sound corn by the rapid method 230
Johnson, J. A. (see J. W. Sullivan) 73
Juliano, B. O. Hygroscopic equilibria of rough rice 191
____ Gloria B. Cagampang, Lourdes J. Cruz, and R. G. Santiago. Some physicochemical properties of rice in Southeast Asia 275
____ (see Gloria M. Bautista) 188
Kaelble, E. F. (see K. A. Gilles) 412
Kester, E. B. (see D. F. Houston) 514
Kingsolver, C. H. (see R. C. French) 47
Knapp, Cheryl (see D. K. Mecham) 58
Kuninori, Toyo, and H. Matsumoto. Dehydro-L-ascorbic acid reducing system in flour 39
____ and ____ Glutathione in wheat and wheat flour 252
____ (see H. Matsumoto) 491
Kurien, P. P., R. Radhakrishna Murty, H. S. R. Desikachar, and V. Subrahmanyam. Effect of parboiling on the swelling quality of rice 16
Kurusz, J. J. (see B. L. Scallet) 200
Lancaster, E. B., K. J. Moulton, D. Uhl, and V. E. Sohns. Modification of cereal flours with hydrochloric acid 484
Larsen, R. A. Hydration as a factor in bread flour quality 181
Lee, C. C., and I. S. Bhardwaj. Kinetic studies with electron paramagnetic resonance absorption. On the disappearance of radicals trapped in gamma-irradiated flour 87
Lugay, J. C. (see Gloria M. Bautista) 188
MacMasters, Majel M. (see D. H. Waggle) 401
Mark, A. M., W. B. Roth, C. L. Mehlretter, and C. E. Rist. Communication to the Editor: Physical properties of films from dimethyl sulfoxide-pretreated amyloalose starches 197
Matsumoto, H., and Toyo Kuninori. Polarographic behavior of gluten and thiosulfoglutelin 491
____ (see Toyo Kuninori) 39, 252
McCabe, Nancie M. (see Evelyn J. Weber) 140
McDonald, C. E., and Lora L. Chen. Properties of wheat-flour proteinases 443
Mecham, D. K., and Cheryl Knapp. Note on changes in sulphydryl content during mixing of doughs containing nonfat dry milk 58
Mehlretter, C. L. (see W. B. Roth) 197
Meredith, P., and I. Hlynka. Action of reducing agents on dough 286
Meyer, E. W. (see S. J. Circle) 157
Mihailović, M. Lj., M. Antić, and D. Hadžijev. Chemical investigation of wheat. IV. Dynamics of various forms of phosphorus in wheat during its ontogenesis 351
Mohammad, A. (see D. F. Houston) 427, 514
Moulton, K. J. (see E. B. Lancaster) 484
Pence, J. W. (see R. E. Ferrel) 1
Perten, H. Application of the falling number method for evaluating alpha-amylase activity 127
Podrázský, V. (see F. Voneš) 9, 456
Pomeranz, Y. (see G. Rubenthaler) 424
Ponte, J. G., Jr., S. T. Titcomb, Jutta Cerning, and R. H. Cotton.

Dough-improving effect of some aliphatic hydrocarbons. II. Studies of dough lipids	431	tion in wheat kernels, based on iodine staining	80
, and R. H. Cotton		Shank, C. W. (see C. P. Czernielski)	65
Dough-improving effect of some aliphatic hydrocarbons. I. Baking and physical dough studies	203	Shuey, W. C., and K. A. Gilles. Evaluation of durum wheat and durum products. I. Studies on semolina and macaroni with the amylograph	32
Prentiss, N., and A. D. Dickson. Communication to the Editor: Emetic material in scabbed wheat	548	Šimová, J. (see F. Voneš) 9, 456	
Rackis, J. J. (see A. K. Smith)	173	Sipes, C. R. (see J. T. Wilson) 260	
Radhakrishna Murty, R. (see P. P. Kurien)	16	Sly, Dayle Ann (see W. J. Wolf) 328	
Raghavendra Rao, S. N., and H. S. R. Desikachar. Note on the comparative swelling characteristics of polished and unpolished wheat and rice during cooking	316	Small, J. G. C. (see A. Joffe) 230	
Rall, J. G. (see J. C. Rankin)	111	Smith, A. K., J. J. Rackis, C. W. Hesseltine, Mable Smith, Dorothy J. Robbins, and A. N. Booth. Tempeh: nutritive value in relation to processing 173	
Rankin, J. C., J. G. Rall, C. R. Russell, and C. E. Rist. Storage stability of hydroxyethylated flour and starch	111	Smith, Mable (see A. K. Smith) 173	
, J. H. Samalik, Margaret M. Holzapfel, C. R. Russell, and C. E. Rist. Preparation and properties of acid-modified cereal flours	386	Sohns, V. E. (see E. B. Lancaster) 484	
Rist, C. E. (see A. M. Mark)	197	Sowell, E. A. (see W. G. Hunt) 375	
(see J. C. Rankin) 111, 386		Stacey, N. E. Comparison of active dried yeast produced in different areas of the world 149	
(see W. C. Schaefer) 406		Subrahmanyam, V. (see P. P. Kurien) 16	
Robbins, Dorothy J. (see A. K. Smith)	173	Sullivan, J. W., and J. A. Johnson. Measurement of starch gelatinization by enzyme susceptibility 73	
Roth, W. B. (see A. M. Mark)	197	Titcomb, S. T. (see J. G. Ponte, Jr.) 203, 431	
Rubenthaler, G., Y. Pomeranz, and K. F. Finney. Communication to the Editor: Semisynthetic model system for study of browning during baking	424	Tsen, C. C. Comparative study on reactions of iodate, azodicarbonamide, and acetone peroxides in simple chemical systems and in dough 22	
Russell, C. R. (see J. C. Rankin) 111, 386		Uhl, D. (see E. B. Lancaster) 484	
(see W. C. Schaefer) 406		Unrau, A. M., and B. C. Jenkins. Investigations on synthetic cereal species. Milling, baking, and some compositional characteristics of some "Triticale" and parental species 365	
Samalik, J. H. (see J. C. Rankin)	386	Veselý, Z. (see F. Voneš) 9, 456	
Santiago, R. G. (see B. O. Juliano)	275	Voneš, F., V. Podrazký, J. Šimová, and Z. Veselý. Electrophoretic properties of wedge protein and gluten of rye flour 9	
Scalliet, B. L., and J. J. Kurusz. Communication to the Editor: Effect of 2,4-D on germination of Hannchen barley	200	, and Significance of wedge protein of rye flour for dough properties 456	
Schaefer, W. C., R. C. Burr, C. R. Russell, G. E. Babcock, and C. E. Rist. Influence of the preparative variables on intrinsic viscosities and sedimentation values of periodate-oxidized starches	406	Waggle, D. H., Majel M. MacMasters, and A. B. Ward. Changes in some properties of the aleurone cell layer caused by steam-conditioning 401	
Schlesinger, J. Results of ball-milling Buhler experimentally milled hard winter wheat flour	465	Wallace, D. H. (see Emily L. Wick) 300	
Schroeder, H. W. Communication to the Editor: A cause of damaged and pecky rice	122	Ward, A. B. (see D. H. Waggle) 401	
Seckinger, H. L., M. J. Wolf, and R. J. Dimler. Micro method for determining moisture distribu-		Wasserman, T. (see D. F. Hous-ton) 514	

- Weber, Evelyn J., H. E. Carter,
and Nancie M. McCabe. Phytosphingosine content of the seed
of corn at various stages of ma- 140
turity
- Weinecke, L. A. (see O. L. Brekke) 321
- Whistler, R. L. (see T. R. Ingle) 474
- Whitney, R. W. (see S. J. Circle) 157
- Wick, Emily L., M. de Figueiredo,
and D. H. Wallace. Volatile
components of white bread pre-
pared by a pre-ferment method 300
- Wilson, J. T., D. H. Donelson, and
C. R. Sipes. Mechanism of im-
prover action in cake flours. I.
Relation between flour specific
surface and chlorine distribution 260
- Wolf, M. J. (see H. L. Seckinger) 80
- Wolf, W. J., Dayle Ann Sly, and
G. E. Babcock. Denaturation of
soybean globulins by aqueous
isopropanol 328
- Youngs, V. L. (see K. A. Gilles) 412, 502

SUBJECTS

Page	Page		
Absorption, farinograph, of ball-milled flour (Schlesinger)	465	Amylomaize starch, see Corn starch, High-amyllose	
Acetone peroxide; study of reaction (Tsen)	22	AP, see Acetone peroxide	
Acid (s)		Apparatus	
Amino, see Amino acids		Electronic, to measure heat-damage in corn (Holaday)	533
Ascorbic, as flour improver; reducing system of (Kuninori and Matsumoto)	39	For electrophoresis of wheat gluten protein (Cluskey)	551
Fatty, see Fatty acids		Ash in ball-milled flour (Schlesinger)	465
Acid hydrolysis of corn starch; phys.-chem. studies (Hunt, Henzler, and Sowell)	375	Azodicarbonamide, flour maturing agent; reactions in simple chemical systems and in dough (Tsen)	22
Acid modification of flour		Baking (see also Bread; Dough); browning of crust during; semisynthetic model for studying (Rubenthaler, Pomeranz, and Finney)	424
With HCl (Lancaster, Moulton, Uhl, and Sohns)	484	Baking quality	
Preparation and properties of cereal flours (Rankin, Samalik, Holzapfel, Russell, and Rist)	386	Of ball-milled flour (Schlesinger)	465
ADA, see Azodicarbonamide		Of "Triticales" (synthetic cereal species) (Unrau and Jenkins)	365
Air-classification-fractionation of cake flour (Wilson, Donelson, and Sipes)	260	Barley	
Alcohol denaturation of soybean proteins (Wolf, Sly, and Babcock)	328	Amylases of; immunochemical study (Grabar and Daussant)	523
Alkali digestion values of rice (rough, brown) (Juliano, Cagampang, Cruz, and Santiago)	275	Effect of 2,4-D in malting of Hannchen variety (Scallet and Kurusz)	200
Alpha-amylase, see Amylase, alpha-		Germinative capacity, estimated by staining (Bloch)	399
Amino acids in soybean products (Smith, Rackis, Hesseltine, Smith, Robbins, and Booth)	173	Batters, heavy; physical properties (continuous system) (Hlynka)	243
Amylase, alpha-		Beta-amylase, see Amylase, beta-	
Activity: evaluation via falling number method (Perten)	127	Bleaching of flour	
Of barley and malt; immunochemical study (Grabar and Daussant)	523	With acetone peroxide (Tsen)	22
Estimation in arbitrary units (Farrand)	98	Cake; with chlorine and Beta-Chlora (Wilson, Donelson, and Sipes)	260
Amylase, beta-		With chlorine; action on semi-dry starch (Ingle and Whistler)	474
Of barley and malt; immunochemical study (Grabar and Daussant)	523	With chlorine dioxide and chlorine X-ray analysis (Gilles, Kaelble, and Youngs)	412
Starch susceptibility to, as measure of gelatinization (Sullivan and Johnson)	73	Bread (see also Baking; Bread crust; Bread improvers; Dough)	
Amylograph studies		Effect of organic liquids on quality (Ponte, Titcomb, and Cotton)	203
For extent of cooking in steamed rice (Ferrel and Pence)	1	Minerals in (Czerniejewski, Shank, Bechtel, and Bradley)	65
With macaroni and semolina (Shuey and Gilles)	32	Staling of, see Staling of bread	
Amyloyisis, beta-, of gelatinized starch (Sullivan and Johnson)	73		

- Volatile components of (Wick, DeFigueiredo, and Wallace)** 300
- Bread crust**, color of; semisynthetic model for study (Rubenthaler, Pomeranz, and Finney) 424
- Bread improvers**; effect of organic liquids (Ponte, Titcomb, and Cotton) 203
- Browning** of starch bread; study of, semisynthetic model (Rubenthaler, Pomeranz, and Finney) 424
- Cake** (see also **Cake flour**); baking test with organic liquids (Ponte, Titcomb, and Cotton) 203
- Cake flour**
Air-classified fractions; specific surface vs. chlorine uptake in SRW wheat (Wilson, Donelson, and Sipes) 260
- X-ray analysis of chlorine in SRW wheat (Gilles, Kaelble, and Youngs) 412
- Carbohydrates**
Gums, of rye flour; interaction with wedge-protein (Voneš, Podrazky, Simová, and Veselý) 456
- Reducing sugars in corn; effect of excessive drying heat on (French and Kingsolver) 47
- Sugars, causing browning of bread crust; semisynthetic model for studying (Rubenthaler, Pomeranz, and Finney) 424
- Carotenes**, see **Carotenoid pigments**
- Carotenoid pigments**; detn. in corn gluten fractions (Blessin, Brecher, and Dimler) 543
- Cereal species**, synthetic ("Triticale"); data on milling, baking, etc. (Unrau and Jenkins) 365
- Chlorine**; action on semidry starch (Ingle and Whistler) 474
- Chromatography**
With bread odor concentrates (Wick, DeFigueiredo, and Wallace) 300
- For action of chlorine on semidry starch (Ingle and Whistler) 474
- For denaturation of soybean proteins (Wolf, Sly, and Babcock) 328
- For separating and identifying esters of semolina (Gilles and Youngs) 502
- Compounds**, carbonyl; volatile components of bread (Wick, DeFigueiredo, and Wallace) 300
- Compressibility** of bread crumb vs. staling (Cornford, Axford, and Elton) 216
- Conditioning** of wheat, steam-; changes caused by (Waggle, MacMasters, and Ward) 401
- Cooking characteristics**
Of macaroni and semolina (Shuey and Gilles) 32
- Of rice (steamed); detn. via amylograph (Ferrel and Pence) 1
- Of rice and wheat, comparative; polished and unpolished (Raghavendra Rao and Desikachar) 316
- Corn** (see also **Corn entries following**)
Carotenoid pigments of; detn. in corn gluten fractions (Blessin, Brecher, and Dimler) 543
- Damaged from excess drying heat; measurement of effect (Holaday) 533
- Drying of; effect of excessive heat on sugar content and diastatic activity (French and Kingsolver) 47
- Fat acidity of, detn. by rapid method (Joffe and Small) 230
- Germ and endosperm; evaluation of degerminator samples (Brekke and Weinecke) 321
- Gluten fractions of; carotenoids in (Blessin, Brecher, and Dimler) 543
- Heat-damage in, measurement (Holaday) 533
- Lipids in, phytosphingosine-containing, during development (Weber, Carter, and McCabe) 140
- Corn degerminator**; for evaluation (comparative; laboratory) of commercial samples (Brekke and Weinecke) 321
- Corn starch**
Acid hydrolysis of; phys-chem. studies (Hunt, Henzler, and Sowell) 375
- Acid-modification of with HCl (Lancaster, Moulton, Uhl, and Sohns) 484
- preparation, properties (Rankin, Samalik, Holzapfel, Russell, and Rist) 386
- Amyloylation of (gelatinized) (Sullivan and Johnson) 73
- High-amylose hydroxyethylated; storage stability (Rankin, Rall, Russell, and Rist) 111
- properties of films (Mark, Roth, Mehlretter, and Rist) 197
- Oxidized, periodate-; viscosities and sedimentation values (Schaefer, Burr, Russell, Babcock, and Rist) 406
- Diastatic activity**, in corn; effect of excess drying heat (French

and Kingsolver)	47	(Voneš, Podrazký, Šimová, and Veselý)	9
2,4-Dichlorophenoxyacetic acid (2,4-D); effect on germination of Hannchen barley (Scallet and Kurusz)	200	Emetic material from scabbed wheat (Prentice and Dickson)	548
Dimethyl sulfoxide solvent pre-treatment of high-amylase corn starch (Mark, Roth, Mehltretter, and Rist)	197	Enzymes , see specific enzymes	
Dough(s)		Enzyme activity	
Composition and volatile components (Wick, DeFigueiredo, and Wallace)	300	In corn damaged from excess heat (Holaday)	533
Improvement with glutathione (Kuninori and Matsumoto)	252	Proteolytic, in wheat and flour (McDonald and Chen)	443
Mechanically developed; vs. dough consistency and water-starch mass ratio (Farrand)	98	In rice (Bautista, Lugay, Cruz, and Julian)	188
Mixing of with NFDM; loss in -SH content during (Mecham and Knapp)	58	In rye flour, detd. by falling number method (Perten)	127
proteolytic activity in (McDonald and Chen)	443	Erratum : Vol. 41, No. 3 (May 1964)	429
Physical properties of continuous-phase system (Hlynka)	243	Esters of semolina ; separation and identification (Gilles and Youngs)	502
vs. reducing agents (Meredith and Hlynka)	286	Extensigraph studies ; properties of reduced doughs (Meredith and Hlynka)	286
Rheology of		"Falling number," for measuring alpha-amylase activity in flour and finely ground grain (Perten)	127
effect of organic liquids (Ponte, Titcomb, and Cotton)	203	Farinograph studies	
effect of starch damage; interpretation (Farrand)	98	For effect of organic liquids on bread and dough (Ponte, Titcomb, and Cotton)	203
Rye flour, wedge-protein of; significance for dough and interaction with gums (Voneš, Podrazký, Šimová, and Veselý)	456	Properties of reduced doughs (Meredith and Hlynka)	286
Dough improvers		"Triticales" (synthetic cereal species) (Unrau and Jenkins)	365
Acetone peroxides and azodicarbonamide; reactions in dough (Tsien)	22	Fats and oils	
Effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton)	431	In corn endosperm (Brekke and Weinecke)	321
Effect of organic liquids (Ponte, Titcomb, and Cotton)	203	In dough; effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton)	431
Iodate; reactions in dough (Tsien)	22	Effect on bread staling; vs. elastic modulus of crumb in compression (Cornford, Axford, and Elton)	216
Drying of corn, excessive, and measurement of damage (Holaday)	533	Fat acidity ; rapid method for detn. (Joffe and Small)	230
Electron paramagnetic resonance; radical disappearance in gamma-irradiated flour (Lee and Bhardwaj)	87	Fatty acids of doughs ; effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton)	431
Electrophoresis for wheat gluten protein research (Cluskey)	551	Fermentation	
Electrophoretic properties of rye wedge-protein and gluten		Effect of organic liquids (Ponte, Titcomb, and Cotton)	203
		Pre-ferments; volatile components in bread (Wick, DeFigueiredo, and Wallace)	300
		Fertilizers, inorganic (N, P, K); in wheat study ; dynamics during ontogenesis (Mihailović, Antić, and Hadžijev)	351
		Flavor of bread ; volatile components of bread (Wick, DeFigueiredo, and Wallace)	300
		Flour (wheat, unless specified) (see also Flour fractions ; specific	

- fractions; **Flour improvers**
 Acid-modified (HRW and Wh wheat)
 preparation and properties (Rankin, Samalik, Holzapfel, Russell, and Rist) 386
 rates, control, product quality, cost (Lancaster, Moulton, Uhl, and Sohns) 484
Amylase activity (alpha-) in (HRW, foreign wheat); falling number method (Perten) 127
Ascorbic acid reducing system in (HRS wheat) (Kuninori and Matsumoto) 39
Ball-milled after Buhler milling (HRW wheat); baking quality, properties (Schlesinger) 465
 Corn; acid-modification of, with HCl (Lancaster, Moulton, Uhl, and Sohns) 484
 Extracted; effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton) 431
 Gamma-irradiated (HRS wheat); kinetics of radical disappearance in (Lee and Bhardwaj) 87
 Glutathione in (HRW, Japanese; HRS, Canadian wheat) (Kuninori and Matsumoto) 252
 Hydration of; factor in quality for bread (HRS wheat) (Larsen) 181
 Hydroxyethylated, storage stability of (HRW wheat) (Rankin, Rall, Russell, and Rist) 111
 Minerals in (HRS, HRW wheat) (Czerniejewski, Shanks, Bechtel, and Bradley) 65
 Particle size of
 ball-milled flour (Schlesinger) 465
 cake flours and air-classified fractions (Wilson, Donelson, and Sipes) 260
 rice flour (Houston, Mohammad, Wasserman, and Kester) 514
 Proteinases in (HRW, HRS wheat) (McDonald and Chen) 443
Rye, high-protein (Houston, Mohammad, Wasserman, and Kester) 514
 wedge-protein of; interaction with gums (Voneš, Podrazký, Simová, and Veselý) 456
 wedge-protein and gluten of; electrophoretic properties (Voneš, Podrazký, Simová, and Veselý) 9
 Sorghum; acid-modification of, with HCl (Lancaster, Moulton, Uhl, and Sohns) 484
 X-ray analysis of chlorine in (HRS wheat) (Gilles, Kaelble, and Youngs) 412
Flour fractions (see also specific fractions); X-ray analysis of chlorine in (Gilles, Kaelble, and Youngs) 412
Flour improvers
 Ascorbic acid; reducing system in flour (Kuninori and Matsumoto) 39
 Beta-Chlora and chlorine; mechanism of action (Wilson, Donelson, and Sipes) 260
 Bisulfite and iodate; effect on structure of heavy batters or thin doughs (Hlynka) 243
 Iodate; reactions of, in simple chemical systems and in dough (Tsen) 22
Fusarium infection
 In rice, causing damaged and pecky rice (Schroeder) 122
 In wheat (Prentice and Dickson) 548
Gas production rate; index of yeast stability in high-temperature storage (Stacey) 149
Gelatinization temperature of rice (rough, brown) (Juliano, Cagampang, Cruz, and Santiago) 275
Gelation of soy protein dispersions by heat (Circle, Meyer, and Whitney) 157
Germination of barley (Hannchen var.); effect of 2,4-D (Scallet and Kurusz) 200
Germinative capacity; method for estimating, by staining (Bloch) 399
Globulins
 Rice, high-sulfur- (Houston, Mohammad, and Alfonso-Hernandez) 427
 Soybean; denaturation by aqueous isopropanol (Wolf, Sly, and Babcock) 328
Glutamic acid decarboxylase activity of rice (Bautista, Lugay, Cruz, and Juliano) 188
Gluten
 Chlorine in; X-ray analysis (Gilles, Kaelble, and Youngs) 412
 Electrophoresis apparatus for (Cluskey) 551
 Polarographic behavior of (HRS wheat) (Matsumoto and Kuninori) 491
 Recovery in heavy batters or thin doughs by stirring (Hlynka) 243
 Of rye flour; electrophoresis of (Voneš, Podrazký, Simová, and Veselý) 9

Vital; from ball-milled flour (Schlesinger)	465	cal study (Grabar and Dausant)	523
Gluten fractions of corn, carotenoids in; detn. (Blessin, Brecher, and Dimler)	543	Malting of barley ; effect of 2,4-D on Hannchen (Scallet and Kurusz)	200
Gums , see Carbohydrates		Maltose in ball-milled flour (Schlesinger)	465
Heat-damage , in corn, by drying; effect on sugar content and diastatic activity (French and Kingsolver)	47	Maturing of flour , with azodicarbonamide and iodate; reactions in simple chemical systems and in dough (Tsen)	22
Heat-expansion of rice and wheat (Raghavendra Rao and Desikachar)	316	Methods	
Heat-gelation of soybean sodium proteinate dispersions (Circle, Meyer, and Whitney)	157	For estimating germinative capacity, by staining (Bloch)	399
Hydration of flour and starch; factor in quality (Larsen)	181	Falling number, for alpha-amylase activity (Perten)	127
Hydroxyethylation of flour and starch; storage stability study (Rankin, Rall, Russell, and Rist)	111	For fat acidity in corn; rapid (Joffe and Small)	230
Hysteresis effects in wheat mixtures (Hart)	340	For heat-damage measurement (electronic) in corn (Holaday)	533
Immunochemical studies of barley and malt amylases (Grabar and Dausant)	523	Micro; moisture detn. in wheat endosperm by iodine staining (Seckinger, Wolf, and Dimler)	80
Irradiation, gamma , of flour; kinetics of radical disappearance (Lee and Bhardwaj)	87	Microorganisms (fungi)	
Kinetics of radical disappearance in gamma-irradiated flour (Lee and Bhardwaj)	87	In rice ("pecky," discolored) (Schroeder)	122
Light, darkness ; studies of starch oxidation by chlorine (Ingle and Whistler)	474	In wheat (scabbed) (Prentice and Dickson)	548
Lipids		Mill products ; minerals in (HRS, HRW wheat) (Czerniejewski, Shank, Bechtel, and Bradley)	65
Of corn, phytosphingosine-containing; effect of maturing on concentration (Weber, Carter, and McCabe)	140	Milling of rice ; for high-protein flour (Houston, Mohammad, Wasserman, and Kester)	514
In dough; effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton)	431	Milling, experimental	
From semolina; chromatographic separation (Gilles and Youngs)	502	Ball-milling after Buhler milling; effect on flour properties (Schlesinger)	465
Loaf volume		Corn dry-milling; evaluation (comparative, lab.) of commercial degerminator samples (Brekke and Weinecke)	321
From ball-milled flour (Schlesinger)	465	Milling quality of "Triticale" (synthetic cereal species) (Unrau and Jenkins)	365
Yeast property study, world production (Stacey)	149	Milo , see Sorghum	
Lowry-Folin assay ; to measure proteolytic activity (McDonald and Chen)	443	Minerals in wheat, flour, bread, and mill products (Czerniejewski, Shank, Bechtel, and Bradley)	65
Macaroni products		Moisture	
Esters of semolina separated and identified (Gilles and Youngs)	502	In corn, for measurement of heat-damage (Holaday)	533
Evaluation with amylograph (Shuey and Gilles)	32	In flour and starch; storage stability study (Rankin, Rall, Russell, and Rist)	111
Malt, amylases of; immunochemi-		In wheat (HRW)	
		distribution detd. by iodine staining (Seckinger, Wolf, and Dimler)	80
		hysteresis effects (Hart)	340
		Nonfat dry milk ; changes in -SH content during mixing of	

- dough (Mecham and Knapp) 58
- Nucleic acid; phosphorus in; dynamics of, during ontogenesis of wheat (Mihailović, Antić, and Hadžijev) 351
- Nutritive value**
- Of rice (high-protein) (Houston, Mohammad, Wasserman, and Kester) 514
 - Of tempeh, Indonesian soybean food (Smith, Rackis, Hestertine, Smith, Robbins, and Booth) 173
- Oil, see Fats and oils**
- Oxidation of starch**
- Affecting viscosity and sedimentation values (Schaefer, Burr, Russell, Babcock, and Rist) 406
 - Semidry, by chlorine; rate of, and products formed (Ingle and Whistler) 474
- Parboiling of rice; effect of, on swelling quality (Kurien, Radhakrishna Murty, Desikachar, and Subrahmanyam) 16**
- Particle size, see under Flour**
- Paste properties**
- Of corn starch; storage stability study (Rankin, Rall, Russell, and Rist) 111
 - Of rice (steamed); detd. via amylograph (Ferrel and Pence) 1
- Phosphorus**
- Dynamics of, in wheat during ontogenesis (Mihailović, Antić, and Hadžijev) 351
 - In flour lipids; effect of hydrocarbons (Ponte, Titcomb, Cerning, and Cotton) 431
- Phytosphingosine** in corn during development (Weber, Carter, and McCabe) 140
- Pigments, see Carotenoid pigments**
- Polarography, for gluten behavior (Matsumoto and Kuninori) 491**
- Polishing of rice and wheat; effect on cooking quality (Raghavendra Rao and Desikachar) 316**
- Protein(s) (see also specific proteins)**
- In air-classified cake flour fractions (Wilson, Donelson, and Sipes) 260
 - Of aleurone cell layer; dispersibility affected by steam-conditioning (Waggle, MacMasters, and Ward) 401
 - In ball-milled flour (Schlesinger) 465
 - High-sulfur, in seeds (Houston, Mohammad, and Alfonso-Hernandez) 427
 - Hydration of, factor in bread flour quality (Larsen) 181
 - In rice (rough, brown) (Juliano, Cagampang, Cruz, and Santiago) 275
 - In rice flour (Houston, Mohammad, Wasserman, and Kester) 514
 - Solubility of; changes due to hydrocarbons (Ponte, Titcomb, Cerning and Cotton) 431
 - Soybean; denaturation by aqueous isopropanol (Wolf, Sly, and Babcock) 328
 - Soybean sodium proteinate; heat-gelation of aqueous dispersions (Circle, Meyer, and Whitney) 157
 - Wedge-, of rye flour; significance for dough and interaction with gums (Voneč, Podrázký, Simová, and Veselý) 456
- Protein waves, polarographic, of gluten (Matsumoto and Kuninori) 491**
- Proteinases in wheat and flour (McDonald and Chen) 443**
- Radicals in flour after irradiation (Lee and Bhardwaj) 87**
- Reducing sugars, see Carbohydrates**
- Rheology (see also Dough, Rheology of) of soy protein dispersions, heated and unheated (Circle, Meyer, and Whitney) 157**
- Rice**
- Cooking of (by steam); extent detd. via amylograph (Ferrel and Pence) 1
 - Cooking (swelling) characteristics of
 - comparative, polished and unpolished (Raghavendra Rao and Desikachar) 316
 - by parboiling (Kurien, Radhakrishna Murty, Desikachar and Subrahmanyam) 16 - Damaged and discolored; caused by Fusarium (Schroeder) 122
 - Flour, high-protein (Houston, Mohammad, Wasserman, and Kester) 514
 - Rough (hygroscopic equilibria of (Juliano) 191
 - properties of (Juliano, Cagampang, Cruz, and Santiago) 275
 - Swelling of, see Cooking characteristics of
 - Viability index of (Bautista, Lugay, Cruz, and Juliano) 188
- Rye**
- Amylase activity (alpha-) in, detd. by falling number method (Perlen) 127

Synthetic species; data on milling, baking, etc. (Unrau and Jenkins)	365	tion of, with HCl (Lancaster, Moulton, Uhl, and Sohns)	484
Sedimentation value(s)		Damaged, see Starch damage	
Effect of starch damage (Farrand)	98	Gelatinized, vs. enzyme susceptibility (Sullivan and Johnson)	73
Of ball-milled flour (Schlesinger)	465	Hydration of, factor in bread flour quality (Larsen)	181
Of periodate-oxidized starches (Schaefer, Burr, Russell, Babcock, and Rist)	406	Potato and tapioca; beta-amylolysis of (Sullivan and Johnson)	73
Seed proteins, high-sulfur (Houston, Mohammad, and Alfonso-Hernandez)	427	Semidry; action of chlorine on (Ingle and Whistler)	474
Semolina		Sorghum; amylolysis of (Sullivan and Johnson)	73
Esters in, separated and identified (Gilles and Youngs)	502	Of sorghum flour, acid-modified; preparation and properties (Rankin, Samalik, Holzapfel, Russell, and Rist)	386
Evaluation with amylograph (Shuey and Gilles)	32	Starch damage	
Sensory tests; volatile components of bread (Wick, DeFigueiredo, and Wallace)	300	In air-classified cake flour fractions (Wilson, Donelson, and Sipes)	260
Sorghum flour, acid-modification of (Lancaster, Moulton, Uhl, and Sohns)	484	In ball-milled flour (Schlesinger)	465
Sorption of moisture in wheat (Hart)	340	Effect on sedimentation values (Farrand)	98
Soybeans		Estimation as percentage of starch (Brabender absorption) (Farrand)	98
Processing of tempeh (Smith, Rackis, Hesseltine, Smith, Robbins, and Booth)	173	Starch films of high-amyllose starch; properties (Mark, Roth, Mehlretter, and Rist)	197
Proteins of denaturation by aqueous isopropanol (Wolf, Sly, and Babcock)	328	Storage studies	
viscosity and heat gelation of aqueous dispersions (Circle, Meyer, and Whitney)	157	With bread; effect of temperature change (Cornford, Axford, and Elton)	216
Staling of bread, vs. elastic modulus of crumb in compression (Cornford, Axford, and Elton)	216	With flour (HRW wheat), hydroxyethylated (Rankin, Rall, Russell, and Rist)	111
Starch (es) (wheat, unless specified) (see also Starch entries following)		With rice; enzyme activity as viability index (Bautista, Lugay, Cruz, and Juliano)	188
Of acid-modified flour; preparation and property study (Rankin, Samalik, Holzapfel, Russell, and Rist)	386	With yeast; comparison of properties (world production) (Stacey)	149
Amylyolysis of (Sullivan and Johnson)	73	Sugars, see Carbohydrates	
Amylomaize, see Corn starch, High-amyllose		Sulphydryl-blocking agents; effect on proteolytic activity in wheat and flour (McDonald and Chen)	443
Amylose fraction, in rice (rough, brown) (Juliano, Cagampang, Cruz, and Santiago)	275	Sulphydryl compounds as hydrogen donors in ascorbic acid reducing system in flour (Kuninori and Matsumoto)	39
Amylose and amylopectin fractions; phys.-chem. study (Hunt, Henzler, and Sowell)	375	Sulphydryl groups	
Arrowroot; beta-amylolysis of (Sullivan and Johnson)	73	In doughs	
Chlorine in; X-ray analysis (Gilles, Kaelble, and Youngs)	412	with NDFM; changes in during mixing (Mecham and Knapp)	58
Corn, see Corn starch		reactions of bleaching and maturing agents in (Tsen)	22
Corn and wheat; acid-modifica-		In dough structure (Meredith and Hlynka)	286
		Glutathione in wheat and flour	

(Kuninori and Matsumoto) 252	
Sulfide-disulfide exchange vs. protein waves of gluten (Matsumoto and Kuninori) 491	
Sulfitolytic of gluten, vs. polarographic behavior (Matsumoto and Kuninori) 491	
Sulfur in proteins of barley, oats, peanuts, rice, and wheat (Houston, Mohammad, and Alfonso-Hernandez) 427	
Swelling of rice; see under Rice	
Tempeh , Indonesian soybean food; nutritive value of (Smith, Rackis, Hesseltine, Smith, Robbins, and Booth) 173	
Temperature ; effect on bread staling (vs. elastic modulus of crumb in compression) (Cornford, Axford, and Elton) 216	
Tempering of wheat; uptake and distribution of moisture in endosperm detd. by iodine staining (Seckinger, Wolf, and Dimler) 80	
Tetrazolium salts ; reduction of, in corn, affected by excessive drying heat (French and Kingsolver) 47	
" Triticale " species of wheat; data on milling, baking, etc. (Unrau and Jenkins) 365	
Viability of rice; index of enzyme activity (Bautista, Lugay, Cruz, and Juliano) 188	
Viscosity	
Of macaroni (Shuey and Gilles) 32	
Of periodate-oxidized starches (Schaefer, Burr, Russell, Babcock, and Rist) 406	
Of sodium soy proteinate dispersions, heated and unheated (Circle, Meyer, and Whitney) 157	
Starch paste, of rice (Juliano, Cagampang, Cruz, and Santiago) 275	
Water absorption of starch and protein; factor in bread flour quality (Larsen) 181	
Water-solubles ; X-ray analysis of chlorine in (Gilles, Kaelble, and Youngs) 412	
Wedge-protein of rye flour	
Electrophoresis of (Voneš, Podrazký, Šimová, and Veselý) 9	
Significance for dough, and interaction with gums (Voneš, Podrazký, Šimová, and Veselý) 456	
Wheat	
Amylase activity in (HRW and foreign); detd. by falling number method (Perten) 127	
Cooking (swelling) characteristics (hard, Indian); comparative, polished and unpolished (Raghavendra Rao and Desikachar) 316	
Endosperm of (HRW); moisture distribution detd. by iodine staining (Seckinger, Wolf, and Dimler) 80	
Esters in semolina separated and identified (Durum) (Gilles and Youngs) 502	
Evaluation with amylograph (Durum) (Shuey and Gilles) 32	
Germinative capacity (HRW, HRS); estimated by staining (Bloch) 399	
Glutathione in (HRW, Japanese; HRS, Canadian) (Kuninori and Matsumoto) 252	
Hysteresis effects in (HRW) (Hart) 340	
Kernel parts of (HRW); protein dispersibility affected by steam-conditioning (Waggle, MacMasters, and Ward) 401	
Minerals in (HRS, HRW) (Czerniejewski, Shank, Bechtel, and Bradley) 65	
Phosphorus in (foreign); dynamics during ontogenesis (Mihailović, Antić, and Hadžijev) 351	
Properties of (HRW); changes caused by steam-conditioning (Waggle, MacMasters, and Ward) 401	
Scabbed (HRS); milling of, and emetic material from (Prentice and Dickson) 548	
Synthetic species ("Triticale") (HRS, Durum); milling, baking data, etc. (Unrau and Jenkins) 365	
Whole (HRW); proteinases in (McDonald and Chen) 443	
Xanthophylls , see under Carotenoid pigments	
X-ray analysis of chlorine in bleached flour and fractions (Gilles, Kaelble, and Youngs) 412	
Yeast	
Active dry; comparison of properties in world production (Stacey) 149	
Gas production rate; index of stability in high-temperature storage (Stacey) 149	
Gassing power of; effect of organic liquids (Ponte, Titcomb, and Cotton) 203	

CEREAL CHEMISTRY

Published by The American Association of Cereal Chemists, Inc.

Editor-in-Chief K. A. GILLES
Managing Editor RAYMOND TARLETON
Assistant Editor EUNICE R. BROWN

Editorial Board:

HOWARD E. BAUMAN	MEADE C. HARRIS
WELKER G. BECHTEL	DAVID F. HOUSTON
WALTER BUSHUK	WILLIAM R. JOHNSTON
KARL F. FINNEY	C. E. RIST



VOLUME 41, NOS. 1-6
JANUARY-NOVEMBER, 1964



Minneapolis Minnesota
1964

Jones Press Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1964

	PAGE
Use of the Amylograph to Determine Extent of Cooking in Steamed Rice. <i>R. E. Ferrel and J. W. Pence</i>	1
Electrophoretic Properties of Wedge Protein and Gluten of Rye Flour. <i>F. Vones, V. Podrazký, J. Símová, and Z. Veselý</i>	9
Effect of Parboiling on the Swelling Quality of Rice. <i>P. P. Kurien, R. Radha-krishna Murty, H. S. R. Desikachar, and V. Subrahmanyam</i>	16
Comparative Study on Reactions of Iodate, Azodicarbonamide, and Acetone Peroxides in Simple Chemical Systems and in Dough. <i>C. C. Tsen</i>	22
Evaluation of Durum Wheat and Durum Products. I. Studies on Semolina and Macaroni with the Amylograph. <i>W. C. Shuey and K. A. Gilles</i>	32
Dehydro-L-Ascorbic Acid Reducing System in Flour. <i>T. Kuninori and H. Matsumoto</i>	39
The Effect of Excessive Heat during Artificial Drying of Corn on Reducing Sugar Content and Diastatic Activity. <i>R. C. French and C. H. Kingsolver</i>	47
A Note on Changes in Sulfhydryl Content during Mixing of Doughs Containing Nonfat Dry Milk. <i>D. K. Mecham and Cheryl Knapp</i>	58
Editorial Policy and Suggestions to Authors	63

NUMBER 2, MARCH, 1964

The Minerals of Wheat, Flour, and Bread. <i>C. P. Czerniejewski, C. W. Shank, W. G. Bechtel, and W. B. Bradley</i>	65
Measurement of Starch Gelatinization by Enzyme Susceptibility. <i>John W. Sullivan and John A. Johnson</i>	73
A Micro Method for Determining Moisture Distribution in Wheat Kernels, Based on Iodine Staining. <i>H. L. Seckinger, M. J. Wolf, and R. J. Dimler</i>	80
Kinetic Studies with Electron Paramagnetic Resonance Absorption. On the Disappearance of Radicals Trapped in Gamma-Irradiated Flour. <i>C. C. Lee and I. S. Bhardwaj</i>	87
Flour Properties in Relation to the Modern Bread Processes in the United Kingdom, with Special Reference to Alpha-Amylase and Starch Damage. <i>E. A. Ferrand</i>	98
Storage Stability of Hydroxyethylated Flour and Starch. <i>J. C. Rankin, J. G. Rall, C. R. Russell, and C. E. Rist</i>	111
Communication to the Editor: A Cause of Damaged and Pecky Rice. <i>Harry W. Schroeder</i>	122
Editorial Policy and Suggestions to Authors	125

NUMBER 3, MAY, 1964

Application of the Falling Number Method for Evaluating Alpha-Amylase Activity. <i>Harald Perten</i>	127
--	-----

Phytosphingosine Content of the Seed of Corn at Various Stages of Maturity. <i>Evelyn J. Weber, H. E. Carter, and Nancie M. McCabe</i>	140
A Comparison of Active Dried Yeast Produced in Different Areas of the World. <i>N. E. Stacey</i>	149
Rheology of Soy Protein Dispersions. Effect of Heat and Other Factors on Gelation. <i>S. J. Circle, E. W. Meyer, and R. W. Whitney</i>	157
Tempeh: Nutritive Value in Relation to Processing. <i>A. K. Smith, J. J. Rackis, C. W. Hesseltine, Mable Smith, Dorothy J. Robbins, and A. N. Booth</i>	173
Hydration as a Factor in Bread Flour Quality. <i>Robert A. Larsen</i>	181
Glutamic Acid Decarboxylase Activity as a Viability Index of Artificially Dried and Stored Rice. <i>Gloria M. Bautista, J. C. Lugay, Lourdes J. Cruz, and B. O. Juliano</i>	188
Hygroscopic Equilibria of Rough Rice. <i>Bienvenido O. Juliano</i>	191
Communication to the Editor: Physical Properties of Films from Dimethyl Sulfoxide-Pretreated Amylomaize Starches. <i>A. M. Mark, W. B. Roth, C. L. Mehlretter, and C. E. Rist</i>	197
Communication to the Editor: Effect of 2,4-D on Germination of Hannchen Barley. <i>Barrett L. Scallet and John J. Kurusz</i>	200
Editorial Policy	202

;

NUMBER 4, JULY, 1964

Dough-Improving Effect of Some Aliphatic Hydrocarbons. I. Baking and Physical Dough Studies. <i>J. G. Ponte, Jr., S. T. Titcomb, and R. H. Cotton</i>	203
The Elastic Modulus of Bread Crumb in Linear Compression in Relation to Staling. <i>S. J. Cornford, D. W. E. Axford, and G. A. H. Elton</i>	216
Studies on Fat Acidity of Sound Corn by the Rapid Method. <i>A. Joffe and J. G. C. Small</i>	230
Some Experiments on the Development of a Continuous System in Heavy Batters or Thin Doughs. <i>I. Hlynka</i>	243
Glutathione in Wheat and Wheat Flour. <i>Toyo Kuninori and H. Matsumoto</i>	252
Mechanism of Improver Action in Cake Flours. I. The Relation between Flour Specific Surface and Chlorine Distribution. <i>J. T. Wilson, D. H. Donelson, and C. R. Sipes</i>	260
Some Physicochemical Properties of Rice in Southeast Asia. <i>B. O. Juliano, Gloria B. Cagampang, Lourdes J. Cruz, and Remedios G. Santiago</i>	275
The Action of Reducing Agents on Dough. <i>P. Meredith and I. Hlynka</i>	286
The Volatile Components of White Bread Prepared by a Pre-Ferment Method. <i>Emily L. Wick, Mario deFigueiredo, and D. H. Wallace</i>	300
Note on the Comparative Swelling Characteristics of Polished and Unpolished Wheat and Rice during Cooking. <i>S. N. Raghavendra Rao and H. S. R. Desikachar</i>	316
Editorial Policy and Suggestions to Authors	320

NUMBER 5, SEPTEMBER, 1964

Corn Dry-Milling: A Comparative Evaluation of Commercial Degerminator Samples. <i>O. L. Brekke and L. A. Weincke</i>	321
Denaturation of Soybean Globulins by Aqueous Isopropanol. <i>W. J. Wolf, Dayle Ann Sly, and G. E. Babcock</i>	328

Hysteresis Effects in Mixtures of Wheats Taken from the Same Sample but Having Different Moisture Contents. <i>J. R. Hart</i>	340
Chemical Investigation of Wheat. IV. Dynamics of Various Forms of Phosphorus in Wheat during Its Ontogenesis. <i>M. Lj. Mihailović, M. Antić, and D. Hadžijev</i>	351
Investigations on Synthetic Cereal Species. Milling, Baking, and Some Compositional Characteristics of Some "Triticale" and Parental Species. <i>A. M. Unrau and B. C. Jenkins</i>	365
Physicochemical Studies of the Acid Hydrolysis of Corn Starch. <i>W. G. Hunt, F. T. Henzler, and E. A. Sowell</i>	375
Preparation and Properties of Acid-Modified Cereal Flours. <i>J. C. Rankin, J. H. Samalik, Margaret M. Holzapfel, C. R. Russell, and C. E. Rist</i>	386
Note on Modified Staining Method for Estimating the Germinative Capacity of Wheat and Barley. <i>Felix Bloch</i>	399
Changes in Some Properties of the Aleurone Cell Layer Caused by Steam-Conditioning. <i>Doyle H. Waggle, Majel M. MacMasters, and Arlin B. Ward</i>	401
Influence of Preparative Variables on Intrinsic Viscosities and Sedimentation Values of Periodate-Oxidized Starches. <i>W. C. Schaefer, R. C. Burr, C. R. Russell, G. E. Babcock, and C. E. Rist</i>	406
X-Ray Spectrographic Analysis of Chlorine in Bleached Flour and Its Fractions. <i>K. A. Gilles, E. F. Kaelble, and V. L. Youngs</i>	412
Communication to the Editor: Semisynthetic Model System for Study of Browning during Baking. <i>G. Rubenthaler, Y. Pomeranz, and K. F. Finney</i>	424
Communication to the Editor: High-Sulfur Seed Proteins. <i>David F. Houston, Ali Mohammad, and Norma E. Alfonso Hernandez</i>	427
Erratum: Vol. 41, No. 3 (May 1964)	429
Editorial Policy and Suggestions to Authors	430

NUMBER 6, NOVEMBER, 1964

Dough-Improving Effect of Some Aliphatic Hydrocarbons. II. Studies of Dough Lipids. <i>J. G. Ponte, Jr., S. T. Tilcomb, Jutta Cerning, and R. H. Cotton</i>	431
Properties of Wheat-Flour Proteinases. <i>C. E. McDonald and Lora L. Chen</i>	443
Significance of Wedge Protein of Rye Flour for Dough Properties. <i>F. Voneš, V. Podrázký, J. Simová, and Z. Veselý</i>	456
Results of Ball-Milling Buhler Experimentally Milled Hard Winter Wheat Flour. <i>Jeff Schlesinger</i>	465
Action of Chlorine on Semidry Starch. <i>T. R. Ingle and Roy L. Whistler</i>	474
Modification of Cereal Flours with Hydrochloric Acid. <i>E. B. Lancaster, K. J. Moulton, D. Uhl, and V. E. Sohns</i>	484
Polarographic Behavior of Gluten and Thiosulfogluten. <i>Hiroshi Matsumoto and Toyo Kuninori</i>	491
Evaluation of Durum Wheat and Durum Products. II. Separation and Identification of the Sitosterol Esters of Semolina. <i>K. A. Gilles and V. L. Youngs</i>	502
High-Protein Rice Flours. <i>David F. Houston, Ali Mohammad, Theodore Wasserman, and E. B. Kester</i>	514
Study of Barley and Malt Amylases by Immunochemical Methods. <i>Pierre Grabar and Jean Daussant</i>	523
An Electronic Method for the Measurement of Heat-Damage in Artificially Dried Corn. <i>Charles E. Holaday</i>	533

Carotenoids of Corn and Sorghum. VI. Determination of Xanthophylls and Carotenes in Corn Gluten Fractions. <i>C. W. Blessin, J. D. Brecher, and R. J. Dimler</i>	543
Communication to the Editor: Emetic Material in Scabbed Wheat. <i>Neville Prentice and Allan D. Dickson</i>	548
Note on a Simplified Gel Electrophoresis Apparatus Used in Wheat Gluten Protein Research. <i>James E. Cluskey</i>	551
Editorial Policy and Suggestions to Authors	554
Index to Volume XLI	555

